

Belgium

1. General information

All the rules for the proper representation and printing of an address are documented on our website at <http://bpost.be/adressage> and http://www.bpost.be/site/fr/business/send_post/deposit/images/pdf/mpg/chap_1_fr.pdf (Chapter 'Adressage'.) An address validation tool is available at <http://www.bpost.be/validationadresse>.

There are 3 official languages in Belgium: Dutch (NL), French (FR), and German (DE.) Typically, in FR, the thoroughfare type appears in front of the thoroughfare name, whereas in NL and DE, it is the opposite. As a result, and for sake of simplification, the thoroughfare type element is not used, and the thoroughfare type must be included in the thoroughfare name element.

The address starts with the most specific information (addressee individual identification) and ends with the most general information (postcode and town for domestic mail or country for cross-border mail.)

The attention of institutions and mailers is drawn to the difference between a physical address and a postal address. Spatial information of a physical address (including building, wing, stairwell, floor and door) may be useful for internal path of delivery, but is not allowed in the delivery point location line. If needed, this information will appear on a line **above** the delivery point location line.

2. Address template in Natural Language Notation

01 <

02 !Mailee Specification block, including Addressee Individual Identification followed by optional Mailee Individual Identification and optional Mailee Organisation Identification!

03 < [\ [10.05.0.0.0 form of address] (10.06.0.0.0 given name) (10.08.0.0.0 surname) [30.33.0.0.0 supplementary dispatch information] {L} \]

04 [\ (20.11.0.0.0 mailee role descriptor) [20.05.0.0.0 form of address] (20.06.0.0.0 given name) (20.08.0.0.0 surname) {L} \]

05 [\ [20.03.0.0.0 function] [20.02.0.0.0 organisational unit] {L} \]

06 [\ (20.00.0.0.0 organisation name) [20.01.0.0.0 legal status] {L} \]

07 >

08 <

09 !Optional block for Mail Recipient Dispatching Information used for spatial references, and Supplementary Delivery Point Data used to reference industrial zones!

10 [\ [(30.29.0.0.1 wing type) (30.29.0.0.2 wing indicator) [LITERAL '-']] [(30.30.0.0.1 stairwell type) (30.30.0.0.2 stairwell indicator) [LITERAL '-']] [(30.31.0.0.1 floor type) (30.31.0.0.2 floor indicator) [LITERAL '-']] [(30.32.0.0.1 door type) (30.32.0.0.2 door indicator)] {L} \]

11 [\ [30.26.1.0.0 building level 1] {L} \]

12 >

13 <

14 !Mandatory Delivery Information or Delivery Point Location!

15 [\ (40.19.0.0.1 delivery service type) (40.19.0.0.2 delivery service indicator) {L} \]

16 [\ (40.21.0.0.0 thoroughfare name) [40.24.0.0.0 street no or plot] [(LITERAL 'bus' or 'bte' or 'box') (40.28.0.0.0 extension designation)] {L} \]

17 >

18 <

19 !Mandatory Postcode/Town, and optional Country!

20 (\ (40.13.0.0.0 postcode) (40.16.0.0.0 town) [40.35.0.0.0 delivery service qualifier] {L} \]

21 [\ (40.14.0.0.0 country name) {L} \]

22 >

- If 40.28.0.0.0 extension designation is not null, it shall be preceded by a LITERAL 'bus' or 'bte' or 'box'. Other literals such as 'b', 'Bt', '#', '-', '/', ... are not allowed.
- If 40.19.0.0.2 delivery service indicator is not null, it shall be preceded by 40.19.0.0.1 delivery service type 'bpack' or 'Postbus' or 'Boite Postale', or 'PB', or 'BP'. Also 40.35.0.0.0 delivery service qualifier shall appear after 40.16.0.0.0 town
- If 40.19.0.0.2 delivery service indicator is not null, then line 14 should not appear.
- In the Mail Recipient Dispatching Information line, pairs 'type/indicator' are required if indicator is not null. Multiple pairs are separated by a '- '.

3. Representation rules

An address has a maximum of 6 lines (7 lines for cross-border mail.)

An address has a minimum number of 3 lines (4 lines for cross-border mail): an addressee identification line, a delivery point location line, and a postcode/town line. The last line on cross-border mail shall always contain the country name in full.

Only lines that contain information shall be printed. If the optional lines are not used, there shall be no extra space between the lines. For example, if the address lines 3 and 4 are not used, line 5 automatically becomes the third line printed. Similarly, if lines 1 and 2 are not used, line 3 automatically becomes the first line printed.

An address line has a maximum of 50 characters including spaces. If the components cannot be fitted into the prescribed length of a specific address line, abbreviation instructions shall be applied. Instructions for these can be found at http://www.bpost.be/site/fr/residential/letters-cards/send/best_practices.html#7

There shall be a space between two words.

Thoroughfare names shall appear in the language of the town if uni-lingual, or one of the official languages if bi-lingual. But thoroughfare name shall not appear in more than one language in the thoroughfare name element. Example: either 'Rue du Merlo' or 'Merlostraat' are allowed, but neither 'Rue du Merlostraat' nor 'Rue du Merlo / Merlostraat' are allowed. Thoroughfare names shall not include ANY other notation or information, such as sub-locality names, or other.

A space shall be printed between the thoroughfare name and the street number or plot, but separators such as punctuation (point, comma or other signs) or 'n°', or 'nr' shall not be used.

If the street number element contains 2 separate sets of figures, they shall be separated by a dash ('-'). For example, street number 4 to 8 should be written 4-8.

Bis street numbers in Belgium may be of alpha or numeric nature. They are not to be confused with extension designations (box numbers). An alpha bis street number will immediately follow the number, for example 21C. A numeric bis number will be separated from the street number by a slash ('/'), for example 21/3.

Extension designation (box numbers), if present, shall appear in the delivery point location line, preceded by the literal 'box' ('bus' in NL, 'bte' in FR). The literals 'b', 'Bt', '#', '-', '/', ... are not allowed as separators between the street number element and the box number extension designator element. The element building/construction, if present, appears on the line **above** the delivery point location line.

If PO Box (Postbus in NL and DE, Boite Postale in FR) elements are present, neither thoroughfare nor premise elements can be present.

For the physical representation of numerical value, no spaces or decimal points are used. For example: Postbus 12000 and NOT Postbus 12 000 or Postbus 12.000.

For the "bpack 24/7" service, the customer identification is to be added on the addressee line, after the name.

The postcode element shall be made of 4 digits and shall not contain a country initial or ISO code (no B- or BE- in front of the postcode.)

A space shall be printed between the postcode and the town. No indication of sub-community or province shall appear after the town name.

Typewritten characters are recommended with a non-proportional sans serif font of 11 or 12 points. No underlining, or words in bold or italic are allowed. Printing shall be in dark ink on blank or light-colored background. The address block shall be justified to the left.

4. Address examples

<p><i>EXAMPLE 1</i></p>	<p><i>Private address of a person living in a house</i> <i>Formatted address</i> Monsieur Alain Dupont Rue du Vivier 7 1000 Bruxelles</p>	<p><i>Address elements</i></p> <table> <tr><td>10.05.0.0.0</td><td>Monsieur</td></tr> <tr><td>10.06.0.0.0</td><td>Alain</td></tr> <tr><td>10.08.0.0.0</td><td>Dupont</td></tr> <tr><td>40.21.0.0.0</td><td>Rue du Vivier</td></tr> <tr><td>40.24.0.0.0</td><td>7</td></tr> <tr><td>40.13.0.0.0</td><td>1000</td></tr> <tr><td>40.16.0.0.0</td><td>Bruxelles</td></tr> </table>	10.05.0.0.0	Monsieur	10.06.0.0.0	Alain	10.08.0.0.0	Dupont	40.21.0.0.0	Rue du Vivier	40.24.0.0.0	7	40.13.0.0.0	1000	40.16.0.0.0	Bruxelles
10.05.0.0.0	Monsieur															
10.06.0.0.0	Alain															
10.08.0.0.0	Dupont															
40.21.0.0.0	Rue du Vivier															
40.24.0.0.0	7															
40.13.0.0.0	1000															
40.16.0.0.0	Bruxelles															

<p><i>EXAMPLE 2</i></p>	<p><i>Private address, care of a person living in a house</i> <i>Formatted address</i> Monsieur Alain Dupont Chez Madame Charlotte Durant Rue du Vivier 15 1000 Bruxelles</p>	<p><i>Address elements</i> 10.05.0.0.0 Monsieur 10.06.0.0.0 Alain 10.08.0.0.0 Dupont 20.11.0.0.0 Chez 20.05.0.0.0 Madame 20.06.0.0.0 Charlotte 20.08.0.0.0 Durant 40.21.0.0.0 Rue du Vivier 40.24.0.0.0 15 40.13.0.0.0 1000 40.16.0.0.0 Bruxelles</p>
<p><i>EXAMPLE 3</i></p>	<p><i>Private address of a person living in a block of flats</i> <i>Formatted address</i> Dhr Paul Janssens Kortijkstraat 37 bus 1 9800 Deinze</p>	<p><i>Address elements</i> 10.05.0.0.0 Dhr 10.06.0.0.0 Paul 10.08.0.0.0 Janssens 40.21.0.0.0 Kortijkstraat 40.24.0.0.0 37 40.28.0.0.0 1 40.13.0.0.0 9800 40.16.0.0.0 Deinze</p>
<p><i>EXAMPLE 4</i></p>	<p><i>Private address with delivery to a PO Box</i> <i>Formatted address</i> Dhr Paul Janssens Postbus 24 9000 Gent Centrum</p>	<p><i>Address elements</i> 10.05.0.0.0 Dhr 10.06.0.0.0 Paul 10.08.0.0.0 Janssens 40.19.0.0.1 Postbus 40.19.0.0.2 24 40.13.0.0.0 9000 40.35.0.0.0 Gent Centrum</p>
<p><i>EXAMPLE 5</i></p>	<p><i>"bpack 24/7" address</i> <i>Formatted address</i> Mr Alain Dupont RC 123456789 bpack De Brouckère 1000 Bruxelles</p>	<p><i>Address elements</i> 10.05.0.0.0 Mr 10.06.0.0.0 Alain 10.08.0.0.0 Dupont 30.33.0.0.0 RC 123-456-789 40.19.0.0.1 bpack 40.19.0.0.2 De Brouckère 40.13.0.0.0 1000 40.16.0.0.0 Bruxelles</p>
<p><i>EXAMPLE 6</i></p>	<p><i>Private address of a person living in a block of flats with spatial information</i> <i>Formatted address</i> Dhr Paul Janssens Gebouw A - Verdieping 3 - Kamer 8 Volklorenlaan 81-83 bus 15 2610 Wilrijk</p>	<p><i>Address elements</i> 10.05.0.0.0 Dhr 10.06.0.0.0 Paul 10.08.0.0.0 Janssens 30.29.0.0.1 Gebouw 30.29.0.0.2 A 30.31.0.0.1 Verdieping 30.31.0.0.2 3 30.32.0.0.1 Kamer 30.32.0.0.2 8 40.21.0.0.0 Volklorenlaan 40.24.0.0.0 81-83 40.28.0.0.0 15 40.13.0.0.0 2610 40.16.0.0.0 Wilrijk</p>

<p><i>EXAMPLE 7</i></p>	<p><i>Company address</i> <i>Formatted address</i> Monsieur Alain Dupont Service Achats Durand SA Rue du Vivier 7C bte 5 1000 Bruxelles</p>	<p><i>Address elements</i> 10.05.0.0.0 Monsieur 10.06.0.0.0 Alain 10.08.0.0.0 Dupont 20.02.0.0.0 Service Achats 20.00.0.0.0 Durand 20.01.0.0.0 SA 40.21.0.0.0 Rue du Vivier 40.24.0.0.0 7C 40.28.0.0.0 5 40.13.0.0.0 1000 40.16.0.0.0 Bruxelles</p>
<p><i>EXAMPLE 8</i></p>	<p><i>Company address with function & department, and with industrial zone</i> <i>Formatted address</i> Monsieur Alain Dupont Manager Service Achats Durand SA Parc d'Entreprises B Rue du Vivier 7C bte 5 1000 Bruxelles</p>	<p><i>Address elements</i> 10.05.0.0.0 Monsieur 10.06.0.0.0 Alain 10.08.0.0.0 Dupont 20.03.0.0.0 Manager 20.02.0.0.0 Service Achats 20.00.0.0.0 Durand 20.01.0.0.0 SA 30.26.1.0.0 Parc d'Entreprises B 40.21.0.0.0 Rue du Vivier 40.24.0.0.0 7C 40.28.0.0.0 5 40.13.0.0.0 1000 40.16.0.0.0 Bruxelles</p>
<p><i>EXAMPLE 9</i></p>	<p><i>Company address with spatial information</i> <i>Formatted address</i> Dhr Paul Janssens Accounting Acme NV Building West - Verdieping 4 Bloemendalelaan 62/3 bus 47 9990 Maldegem</p>	<p><i>Address elements</i> 10.05.0.0.0 Dhr 10.06.0.0.0 Paul 10.08.0.0.0 Janssens 20.02.0.0.0 Accounting 20.00.0.0.0 Acme 20.01.0.0.0 NV 30.29.0.0.1 Building 30.29.0.0.2 West 30.31.0.0.1 Verdieping 30.31.0.0.2 4 40.21.0.0.0 Bloemendalelaan 40.24.0.0.0 62/3 40.28.0.0.0 47 40.13.0.0.0 9990 40.16.0.0.0 Maldegem</p>
<p><i>EXAMPLE 10</i></p>	<p><i>Foreign address</i> <i>Formatted address</i> Herrn Quincy Happy Wacholderweg 52a 26133 Oldenburg GERMANY</p>	<p><i>Address elements</i> 10.05.0.0.0 Herrn 10.06.0.0.0 Quincy 10.08.0.0.0 Happy 40.21.0.0.0 Wacholderweg 40.24.0.0.0 52a 40.13.0.0.0 26133 40.16.0.0.0 Oldenburg 40.14.0.0.0 GERMANY</p>

5. Mapping national elements to standard elements

	<u>National Elements</u>	<u>CEN/UPU Address Elements</u>		
	Address Element	Title	Code	Comment
Addressee Individual Identification	Greeting	Form of Address	10.05.0.0.0	Mandatory if addressed mail
	First Name	Given Name	10.06.0.0.0	
	Last Name	Surname	10.08.0.0.0	
	Customer Number	Suppl Dispatch Info	30.33.0.0.0	
Mailee Individual Identification		Role Descriptor	20.11.0.0.0	If applicable
		Form of Address	20.05.0.0.0	
		Given Name	20.06.0.0.0	
		Surname	20.08.0.0.0	
Mailee Organization Identification	Title	Function	20.03.0.0.0	If applicable
	Department	Organizational Unit	20.02.0.0.0	
	Company Name	Organization Name	20.00.0.0.0	
		Legal Status	20.01.0.0.0	
Mail Recipient Dispatching Information	Building	Wing Type	30.29.0.0.1	Optional, but preferable for Registered mail and Parcels
		Wing Indicator	30.29.0.0.2	
		Stairwell Type	30.30.0.0.1	
		Stairwell Indicator	30.30.0.0.2	
		Floor Type	30.31.0.0.1	
		Floor Indicator	30.31.0.0.2	
		Door Type	30.32.0.0.1	
	Door Indicator	30.32.0.0.2		
	Building/Construction Level 1	30.26.1.0.0	Complex of buildings -- used to reference industrial zones	
Other Delivery Information	PO Box Number or "bpack 24/7" name	Delivery Service Type	40.19.0.0.1	Possible values: 'Postbus' or 'Boite Postale' or 'PB' or 'BP' or 'bpack'
		Delivery Service Indicator	40.19.0.0.2	PO Box number or bpack station name
Delivery Point Location	Street Name	Thoroughfare Name	40.21.0.0.0	Mandatory
	House Number	Street Number or Plot	40.24.0.0.0	
	Box Number	Extension Designation	40.28.0.0.0	If not null, and must be preceded in representation by literal 'bus' or 'bte', or 'box'
Postcode / Town	Postal Code	Postcode	40.13.0.0.0	Mandatory
	City	Town	40.16.0.0.0	
			Delivery Service Qualifier	40.35.0.0.0
Country	Country Name	Country	40.14.0.0.0	Only for cross-border mail
Encoding		Address Parameter Script	50.50.0.0.0	Always 'Latn'
Language		Address Parameter Language	50.51.0.0.0	Possible values: 'de', 'en', 'fr', 'nl'

Despatching Country	Country of origin		50.53.0.0.0	If not 'BE', will force 'BELGIUM' in Country Name
Delivering Country			50.54.0.0.0	Always 'BE'

6. Approved abbreviations

INTITULÉS DE RUES FRANCOPHONES		INTITULÉS DE RUES NÉERLANDOPHONES		INTITULÉS DE RUES GERMANOPHONES	
Avenue	Av.	straat	str.	Strasse	Str.
Boulevard	Bd	laan	ln	Allee	All.
Centre	Ctre	plein	pl.	Platz	Pl.
Place	Pl	steenweg	stwg	Gewerbegebiet	GG.
Route	Rte	industriezone	I.Z.	Residenz	Res.
Square	Sq.	gebouw	geb.		
Zone Industrielle	Z.I.	square	sq.		
Chaussée	Chée				
Impasse	Imp.				

7. Rendition instructions

The address line for the Mail Recipient Dispatching Information, if applicable, is a concatenation of 4 pairs of fields (if present) separated by a '-' (dash).

The address line for Delivery Point Location, if it contains a box number (in the Extension Designation Field) will include a LITERAL to separate the Street Number and the Extension Designation. Depending on the address language referenced in segment U50.51.0.0.0 (Address Parameter Language), the literal will be 'bte' (if language is 'fr' for French), or the literal will be 'bus' (if the language is 'nl' for Dutch), or the literal will be 'box' (if the language is 'de' for German or 'en' for English.)

Country element should appear only on cross-border mail, i.e. if segment U50.53.0.0.0 (Dispatching Country) is different than 'BE'.

8. Address template in PATDL

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<!--
```

This is the PATDL version of the template representing the address format for Belgium with UPU element codes and rendition instructions. It has been validated using the Postal Address Template Description Language (PATDL) v. 2.7.3 W3C schema. The file name is S42-7B-BE-PATDL.v.2.7.3.xml

```
-->
```

```
<patdl.2.7.3.xml xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="PATDL.v.2.7.3.xsd">
```

```
<!-- -->
```

```
<identifier>
```

```
<referenceKey>UPU-BE</referenceKey>
```

```
<elementIdentifier>
```

```
<type>code</type>
```

```
<prefix>U</prefix>
```

```
<system>UPU</system>
<version>S42-7</version>
<source>UPU</source>
</elementIdentifier>
<elementDefiner>
  <type>descriptive</type>
  <language>EN</language>
  <system>UPU</system>
  <version>S42-7</version>
  <source>UPU</source>
</elementDefiner>
<elementDescriptor>
  <type>descriptive</type>
  <language>EN</language>
  <system/>
  <version/>
  <source>bpost</source>
</elementDescriptor>
<renditionInstruction>
  <type>mnemonic</type>
  <language>EN</language>
  <system>UPU</system>
  <version>S42-7</version>
  <source>UPU</source>
</renditionInstruction>
<templateSelectionData>
  <unconditionalTemplateIdentifier>
    <templateType>ADR</templateType>
    <countryCode>BE</countryCode>
    <userId>UPU</userId>
    <templateSeqNum>001</templateSeqNum>
    <templateVersion>0001</templateVersion>
  </unconditionalTemplateIdentifier>
</templateSelectionData>
</identifier>
<contentDefinition>
  <templateName/>
  <templateIdentifier>
    <templateType>ADR</templateType>
    <countryCode>BE</countryCode>
    <userId>UPU</userId>
    <templateSeqNum>001</templateSeqNum>
    <templateVersion>0001</templateVersion>
  </templateIdentifier>
  <defaultDelimiter>' '</defaultDelimiter>
  <defaultSeparator>';'</defaultSeparator>
  <defaultSequencer>','</defaultSequencer>
```



```
<defaultCollector>'-'</defaultCollector>
<userPreferences>
  <characterSet>UNICODE</characterSet>
  <qualityThreshold/>
  <!-- The following parameter applies to domestic mailings. For cross
border mailings a country name line is needed and the maximum number of lines set by
bpost is 7 -->
  <maxLines>6</maxLines>
</userPreferences>
<addressMetadata>
  <addressLanguage>fr</addressLanguage>
  <addressLanguage>nl</addressLanguage>
  <addressLanguage>de</addressLanguage>
  <addressScript>Latn</addressScript>
  <despatchingCountry/>
  <deliveringCountry>BE</deliveringCountry>
</addressMetadata>
<triggerConditions>
  <lineSelect>
    <isPopulated>U10.06.0.0.0, U10.08.0.0.0</isPopulated>
    <lineName lineNumber="001">addressee</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U20.11.0.0.0, U20.05.0.0.0, U20.06.0.0.0, U20.08.0.0.0</isPopulated>
    <lineName lineNumber="002">mailee name</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U20.03.0.0.0, U20.02.0.0.0</isPopulated>
    <lineName lineNumber="003">mailee function-dpt</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U20.00.0.0.0, U20.01.0.0.0</isPopulated>
    <lineName lineNumber="004">mailee organisation</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U30.29.0.0.2, U30.30.0.0.2, U30.31.0.0.2, U30.32.0.0.2</isPopulated>
    <lineName lineNumber="005">recipient dispatch info</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U30.26.1.0.0</isPopulated>
    <lineName lineNumber="006">complex of buildings</lineName>
  </lineSelect>
  <lineSelect>
    <isPopulated>U40.19.0.0.2</isPopulated>
    <lineName lineNumber="007">post office box</lineName>
  </lineSelect>
</lineSelect>
```

```
<hasValue>U50.51.0.0.0;"fr"</hasValue>
<lineName lineNumber="008">french thoroughfare address</lineName>
<hasValue>U50.51.0.0.0;"nl"</hasValue>
<lineName lineNumber="008">flemish thoroughfare address</lineName>
<hasNotValue>U50.51.0.0.0;"fr", "nl"</hasNotValue>
<lineName lineNumber="008">other language thoroughfare address</lineName>
</lineSelect>
<lineSelect>
  <lineName lineNumber="009">postcode and town</lineName>
</lineSelect>
<lineSelect>
  <isPopulated>U50.53.0.0.0</isPopulated>
  <hasNotValue>U50.53.0.0.0;BE</hasNotValue>
  <isPopulated>U40.14.0.0.0</isPopulated>
  <lineName lineNumber="010">external country field</lineName>
  <isPopulated>U50.53.0.0.0</isPopulated>
  <hasNotValue>U50.53.0.0.0;BE</hasNotValue>
  <isNotPopulated>U40.14.0.0.0</isNotPopulated>
  <lineName lineNumber="010">external country default</lineName>
</lineSelect>
</triggerConditions>
<lineData>
  <lineName lineNumber="001">addressee</lineName>
  <lineComponent>
    <componentId>ADDRESSEE</componentId>
    <priority>007</priority>
    <elementData>
      <elementId>U10.05.0.0.0</elementId>
      <elementDef>form of address</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U10.06.0.0.0</elementId>
      <elementDef>given name</elementDef>
    </elementData>
    <elementData>
      <elementId>U10.08.0.0.0</elementId>
      <elementDef>surname</elementDef>
    </elementData>
    <elementData>
      <elementId>U30.33.0.0.0</elementId>
      <elementDef>supplementary dispatch information</elementDef>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="002">mailee name</lineName>
```

```
<lineComponent>
  <componentId>MAILEE-NAME</componentId>
  <priority>009</priority>
  <elementData>
    <elementId>U20.11.0.0.0</elementId>
    <elementDef>mailee role descriptor</elementDef>
    <posStart>001</posStart>
  </elementData>
  <elementData>
    <elementId>U20.05.0.0.0</elementId>
    <elementDef>form of address</elementDef>
  </elementData>
  <elementData>
    <elementId>U20.06.0.0.0</elementId>
    <elementDef>given name</elementDef>
  </elementData>
  <elementData>
    <elementId>U20.08.0.0.0</elementId>
    <elementDef>surname</elementDef>
  </elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="003">mailee function-dpt</lineName>
  <lineComponent>
    <componentId>MAILEE-FUNCTION-DPT</componentId>
    <priority>010</priority>
    <elementData>
      <elementId>U20.03.0.0.0</elementId>
      <elementDef>function</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U20.02.0.0.0</elementId>
      <elementDef>mailee organisational unit</elementDef>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="004">mailee organisation</lineName>
  <lineComponent>
    <componentId>MAILEE-ORG</componentId>
    <priority>005</priority>
    <elementData>
      <elementId>U20.00.0.0.0</elementId>
      <elementDef>mailee organisation name</elementDef>
      <posStart>001</posStart>
    </elementData>
  </lineComponent>
</lineData>
```

```
</elementData>
<elementData>
  <elementId>U20.01.0.0.0</elementId>
  <elementDef>mailee legal status</elementDef>
</elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="005">recipient dispatch info</lineName>
  <lineComponent>
    <componentId>RECIPIENT-DISPATCH</componentId>
    <priority>006</priority>
    <elementData>
      <elementId>U30.29.0.0.1</elementId>
      <elementDef>wing type</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U30.29.0.0.2</elementId>
      <elementDef>wing indicator</elementDef>
    </elementData>
    <renditionOperator>
      <operatorId>CONCAT</operatorId>
      <fldText>' - '</fldText>
    </renditionOperator>
    <elementData>
      <elementId>U30.30.0.0.1</elementId>
      <elementDef>stairwell type</elementDef>
    </elementData>
    <elementData>
      <elementId>U30.30.0.0.2</elementId>
      <elementDef>stairwell indicator</elementDef>
    </elementData>
    <renditionOperator>
      <operatorId>CONCATWL</operatorId>
      <fldText>' - '</fldText>
    </renditionOperator>
    <elementData>
      <elementId>U30.31.0.0.1</elementId>
      <elementDef>floor type</elementDef>
    </elementData>
    <elementData>
      <elementId>U30.31.0.0.2</elementId>
      <elementDef>floor indicator</elementDef>
    </elementData>
    <renditionOperator>
      <operatorId>CONCATWL</operatorId>
```

```
<fldText>' - '</fldText>
</renditionOperator>
<elementData>
  <elementId>U30.32.0.0.1</elementId>
  <elementDef>door type</elementDef>
</elementData>
<elementData>
  <elementId>U30.32.0.0.2</elementId>
  <elementDef>door indicator</elementDef>
</elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="006">complex of buildings</lineName>
  <lineComponent>
    <componentId>BLDG-LVL1</componentId>
    <priority>008</priority>
    <elementData>
      <elementId>U30.26.1.0.0</elementId>
      <elementDef>complex of buildings</elementDef>
      <posStart>001</posStart>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="007">post office box</lineName>
  <lineComponent>
    <componentId>PO-BOX</componentId>
    <priority>003</priority>
    <elementData>
      <elementId>U40.19.0.0.1</elementId>
      <elementDef>delivery service type</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U40.19.0.0.2</elementId>
      <elementDef>delivery service indicator</elementDef>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="008">french thoroughfare address</lineName>
  <lineComponent>
    <componentId>THORO</componentId>
    <priority>004</priority>
    <elementData>
      <elementId>U40.21.0.0.0</elementId>
```

```
<elementDef>thoroughfare name</elementDef>
<posStart>001</posStart>
</elementData>
<elementData>
  <elementId>U40.24.0.0.0</elementId>
  <elementDef>street no or plot</elementDef>
</elementData>
<renditionOperator>
  <operatorId>CONCAT</operatorId>
  <fldText>' bte '</fldText>
</renditionOperator>
<elementData>
  <elementId>U40.28.0.0.0</elementId>
  <elementDef>extension designation</elementDef>
</elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="008">flemish thoroughfare address</lineName>
  <lineComponent>
    <componentId>THORO</componentId>
    <priority>004</priority>
    <elementData>
      <elementId>U40.21.0.0.0</elementId>
      <elementDef>thoroughfare name</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U40.24.0.0.0</elementId>
      <elementDef>street no or plot</elementDef>
    </elementData>
    <renditionOperator>
      <operatorId>CONCAT</operatorId>
      <fldText>' bus '</fldText>
    </renditionOperator>
    <elementData>
      <elementId>U40.28.0.0.0</elementId>
      <elementDef>extension designation</elementDef>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="008">other language thoroughfare address</lineName>
  <lineComponent>
    <componentId>THORO</componentId>
    <priority>004</priority>
    <elementData>
```

```
<elementId>U40.21.0.0.0</elementId>
<elementDef>thoroughfare name</elementDef>
<posStart>001</posStart>
</elementData>
<elementData>
  <elementId>U40.24.0.0.0</elementId>
  <elementDef>street no or plot</elementDef>
</elementData>
<renditionOperator>
  <operatorId>CONCAT</operatorId>
  <fldText>' box '</fldText>
</renditionOperator>
<elementData>
  <elementId>U40.28.0.0.0</elementId>
  <elementDef>extension designation</elementDef>
</elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="009">postcode and town</lineName>
  <lineComponent>
    <componentId>POSTCODE-TOWN</componentId>
    <priority>002</priority>
    <elementData>
      <elementId>U40.13.0.0.0</elementId>
      <elementDef>postcode</elementDef>
      <posStart>001</posStart>
    </elementData>
    <elementData>
      <elementId>U40.16.0.0.0</elementId>
      <elementDef>town</elementDef>
    </elementData>
    <elementData>
      <elementId>U40.35.0.0.0</elementId>
      <elementDef>delivery service qualifier</elementDef>
    </elementData>
  </lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="010">external country field</lineName>
  <lineComponent>
    <componentId>EXTERNAL-COUNTRY</componentId>
    <priority>001</priority>
    <elementData>
      <elementId>U40.14.0.0.0</elementId>
      <elementDef>country name</elementDef>
      <posStart>001</posStart>
    </elementData>
  </lineComponent>
</lineData>
```

```
</elementData>
</lineComponent>
</lineData>
<lineData>
  <lineName lineNumber="010">external country default</lineName>
  <lineComponent>
    <componentId>EXTERNAL-COUNTRY</componentId>
    <priority>001</priority>
    <renditionOperator>
      <operatorId>LITERAL</operatorId>
      <fldText>'BELGIUM '</fldText>
      <posStart>001</posStart>
    </renditionOperator>
  </lineComponent>
</lineData>
</contentDefinition>
</patdl.2.7.3.xml>
```